



Report No. 12: Week ending 26 June 2022

Overview

In 2022, the Victorian Sentinel Practice Influenza Network (VicSPIN), will report on influenza, SARS-CoV-2 and other respiratory viruses circulating in the community.

The 2022 influenza season so far

Influenza-like illness (ILI) activity is currently within the average threshold for this week with 9 ILIs per 1000 patients seen.

The number of notified cases of laboratory confirmed influenza is **over 442 times higher** than the number notified by the same time in 2021 but only **24% higher** than the number in 2019 prior to the COVID pandemic. **Most** notified cases have been **type A (99.9%)** (29% of type A cases are aged less than 10 years and 8% aged 65 years and over), **ten cases have been type B (0.03%)** and **six cases have been type A and type B (0.02%)**.

Six swabs were received from VicSPIN this week.

Zero swab tested positive for influenza.

Two swabs tested positive for RSV, two swabs tested positive for parainfluenza and one swab tested positive for picornavirus.

The 2022 SARS-CoV-2 case numbers so far

The number of routinely notified COVID-19 cases based on PCR and RAT testing so far in 2022 is **1,899,672 cases**.

The number notified by the same time in 2021 was 330 cases.

There have been 48,902 cases reported in the past week.

There have been **21,382,804** PCR tests to date. The total number of rapid antigen tests (RATs) conducted is unknown.

Zero of the six swabs received from VicSPIN this week tested positive for SARS-CoV-2.



Figure 1. Routinely notified influenza cases and VicSPIN ILI consultation proportions, Victoria, 2015 – 2022





Figure 2. Daily routinely notified SARS-CoV-2 cases based on PCR and RAT testing, Victoria, 2020 – 2022



Year



Victorian Sentinel Practice Influenza Network


- The ILI proportion measured by VicSPIN for this week is **within** the average activity threshold with **9 ILI cases per 1,000 patients seen**. (Figures 1 & 3, and Table 1)
- Six swabs were received from VicSPIN this week. (Figure 4 and Table 1)
- Zero swabs tested positive for influenza. (Figure 4 and Table 1)
- Zero swabs tested positive for SARS-CoV-2. (Figure 4 and Table 1)
- **Two swabs** tested positive for RSV, **two swabs** tested positive for parainfluenza and **one** swab tested positive for picornavirus. (Figure 4)

Table 1. Summary of reporting from general practice sentinel sites, week ending 26 June 2022.*

	Week	Year-to-date
Number (%) of general practitioners reporting	27 (96%)	
Total patients seen	1,558	20,387
Total patients with ILI	14	180
Consultation rate for ILI (per 1,000 patients)	9.0	8.8
Number of specimens received	6	67
Number (%) positive for influenza	0 (0%)	25 (37%)
Number (%) positive for SARS-CoV-2	0 (0%)	8 (12%)

* These numbers are subject to change as data are processed and updated.


Figure 3. VicSPIN ILI consultation proportions, Victoria, 2018 – 2022



Week of the year



Figure 4. VicSPIN respiratory virus detections and percent influenza positive, Victoria, 2022



Observations from other influenza and SARS-CoV-2 surveillance systems

Notified cases of laboratory confirmed influenza and SARS-CoV-2

- The number of notified cases of laboratory confirmed influenza entered so far for this week is 1,119 (Table 2).
- A total of 30,096 cases of laboratory confirmed influenza have been processed so far in 2022, over 442-fold increase on the number notified by the same time in 2021 but only 24% higher than in 2019, prior to the COVID pandemic (Figure 1 and Table 2).
- Year to date, 99.9% of notified cases have been type A (29% of Type A cases are aged less than 10 years and 8% aged 65 years and over), ten cases (0.03%) have been type B and six cases (0.02%) have been type A and B.
- The number of total SARS-CoV-2 cases for this week is 48,902 (Table 2).
- A total of 1,899,672 probable and confirmed SARS-CoV-2 cases have been notified so far in 2022 compared with 330 for the same time in 2021 (Table 2)
- There have been 21,382,804 PCR tests to date. The total number of rapid antigen tests (RATs) conducted is unknown
- These numbers are subject to change as data are processed and uploaded.

Table 2. Summary of notified influenza and SARS-CoV-2 cases, for week ending 26 June 2022 and Year To Date (YTD) 2019 – 2022.


	Week	2022 YTD	2021 YTD	2020 YTD	2019 YTD
Notified influenza cases	1,119	30,096	68	4766	24,321
Notified SARS-CoV-2 cases	48,902	1,899,672	330	1984	N/A



World Health Organization Collaborating Centre for Reference and Research on Influenza

- The strains included in the 2022 egg-based Southern Hemisphere seasonal influenza quadrivalent vaccines are: A/Victoria/2570/2019 (H1N1)pdm09-like virus, A/Darwin/9/2021 (H3N2)-like virus, B/Austria/1359417/2021-like (B/Victoria lineage) virus and B/Phuket/3073/2013-like (B/Yamagata lineage) virus.
- The strains included in the 2022 cell-based Southern Hemisphere seasonal influenza quadrivalent vaccines are: A/Wisconsin/588/2019 (H1N1)pdm09-like virus, A/Darwin/9/2021 (H3N2)-like virus, B/Austria/1359417/2021like (B/Victoria lineage) virus and B/Phuket/3073/2013-like (B/Yamagata lineage) virus.
- A total of 671 Victorian isolates has been strain-typed by the WHO to date. (Fig. 5)

Figure 5. Victorian influenza isolates typed by haemagglutination inhibition assay, samples collected year-to-date, 2022.



* Insufficient titre for HI means viruses were unable to be characterised in the HI assay.

- N.B. A/Darwin/6/2019 is the cell equivalent of A/Darwin/9/2021 H3N2 vaccine strain.
- No isolates have shown resistance to zanamivir, however two isolates have shown resistance to oseltamivir, among the 893 Australian isolates tested so far in 2022.